

MAC950F

FLAMELESS
MOBILE HEATER

GENERAC[®]
MOBILE



MAC950F

FLAMELESS MOBILE HEATER

Generac Mobile flameless heaters are specifically designed to safely provide heat in environments in which an open flame could be hazardous. Our patented user interface system is easy to use and allows you to set a temperature that will remain reliable and consistent. The MAC950F flameless heater is built with safety in mind, including multiple safety alarms, a lockable cabinet and 110% containment.



	MAC950F
Engine	
	USA (METRIC)
Make	John Deere
EPA Tier	Final Tier 4
Max Speed: rpm	2200
Max Engine Power - Standby: hp	139
Operating Speed: rpm	2200
Capacities	
Heat Transfer Fluid Capacity: gal (L)	28 (105.99)
Fuel Tank Volume: gal (L)	160 (605.67)
Max Fuel Consumption Rate: gph (Lph)*	7.1 (26.88)
DEF to Fuel Consumption	1:1
Heater	
Max Heat Output: BTU*	994,000
Temperature Rise @ X°	180°F (82°C)
Maximum Output Temperature	180°F (82°C)
Duct Diameter: in (mm)	1 x 20 (508)
Estimated Heater Efficiency	85%
Fan	
Air Flow: CFM	3000 - 6000
Pressure: in, H2O	5
Weights & Dimensions	
L x W x H: in (m)	191 x 72 x 88 (4.85 x 1.83 x 2.24)
Dry Weight: lbs (kg)	6330 (2871)
Operating Weight: lbs (kg)	7900 (3583)
Chassis	
Number of Axles	2
Axle Rating: lbs (kg)	6000 (2722)
Tire Size	225/75 R15
Maximum Tire Pressure: psi	80
Brakes	Electric
Hitch - Standard: in (mm)	2-5/16 (58.74) Ball Coupler

* This number has been calculated using the maximum fuel consumption at the full rated horsepower as provided by the engine manufacturer.

APPLICATIONS

- Gas and oil exploration
- Utilities and power plants
- Mining
- Painting and coatings
- Construction
- Pipeline projects
- Pre-warming equipment
- Employee locker areas and housing
- Emergency thawing
- Dehumidification
- Agricultural applications

SAFETY ALARMS

- Low heat transfer fluid (HTF) volume
- Low fuel
- Low DEF
- High temperature
- Positive air shutdown

When you need it, we bring the heat.



Learn more at GeneracMobileProducts.com

24/7 • 365 Nationwide Service Support Network;
because when you're on the job, we're on the job.



*Assembled in the USA using domestic and foreign parts

Part No. 172480 REV 03/2019
©2019 Generac Power Systems, Inc. All Rights Reserved.
Specifications are subject to change without notice.



Generac Mobile Products LLC
215 Power Drive, Berlin, WI 54923
GeneracMobileProducts.com | 800-926-9768 | 920-361-4442