

# MLTS LED LIGHT TOWER

# HIGH PERFORMANCE, LOW OPERATING COSTS

The new MLTS LED light tower from Generac Mobile provides powerful, even lighting, simplified controls and low maintenance requirements for maximum return on investment (ROI). A new 2-cylinder engine allows for lower initial acquisition cost, a long runtime of up to 220\* hours and low operational costs. The MLTS is designed for equipment rental companies, contractors and end users that are looking for excellent value,

# **DURABLE GENERAC® LEDs**

utility and reliability.

All Generac Mobile LED towers feature our robust LED fixtures, designed to last the life of the tower - a 10-year life expectancy, backed up by a 5-year warranty.

# CHOOSE FROM STANDARD OR DIFFUSE LED

Generac Mobile diffuse LEDs deliver powerful, even, glare-free lighting that stands up to the rigors of rental yards and job sites.

# ILLUMINATED CONTROLS AND LED running lights for

**AND LED** running lights for enhanced visibility and safety

SIMPLE, ANALOG CONTROLS •

### **OPTIONAL EXPORT POWER**

for tools and other jobsite power needs



#### GAS-ASSISTED REAR HATCH

opens easily, and stays secure for quick and easy unobstructed maintenance access

FULLY ROTATIONAL MAST with tool-less adjustment from the ground

• 1000 HOUR
OIL SERVICE
more uptime and
less labor costs

CONTAINMENT

requirements

option for environmental

# WHY LED?

### **INSTANT ON/OFF LIGHT**

No waiting, save time and enhance safety.

### **BRIGHT, CONSISTENT LIGHTING**


Truer colors, important for hazard and warning labels and signage, as well as wiring applications. LEDs degrade very minimally over time, unlike metal halide bulbs which lose 50% of their light output within the first 10,000 hours.

## **FUEL EFFICIENT**

LEDs consume less power, resulting in extended run times and significant fuel savings.



#### **MLTS LED COVERAGE**



	,	
30 foot candles	20 foot candles	10 foot candles
5 foot candles	3 foot candles	2 foot candles
1 foot candles	0.5 foot candles	

COVERAGE: 19,526 ft2 (1,814 m2) @ min. 0.5 ft-c

Model	MLTS		
	USA (METRIC)		
Engine Make	Mitsubishi®, 2 Cylinder		
Onboard Export Power: kW	Optional, 2.4		
Max Mast Height	23 ft (7 m)		
Winch	Manual, Electric Option		
Lights	(4) 296W LED		
Total Lumens	172,200		
Coverage @ Min. 0.5 ft-c	19,526 ft <sup>2</sup> (1,814 m <sup>2</sup> )		
Diffuse Light	Choose Standard or Diffuse LEDs		
Max Runtime (Lights Only)*	220 hrs		
Standard Controller	Analog		
Oil Containment	Optional		
Oil Service Interval†	1000 hrs		
CSA	Yes		

Specifications are subject to change without notice. Additional options available.

\*Results based on engine manufacturer and field test data after 50 hour engine break-in period and may vary based on factors including age and maintenance of equipment, environmental conditions and fuel density.

\*Consult the Owner's Manual for fuel and maintenance recommendations



Generac Mobile offers powerful, mobile lighting solutions for every need. For our complete line of light towers, visit GeneracMobileProducts.com.

24/7 • 365 Nationwide Service Support Network;

because when you're on the job, we're on the job.



