MLT6 LIGHT TOWERS



GENERAC

MOBILE

MLT6 LIGHT TOWERS

The award-winning MLT6 light tower features a compact footprint that is ideal for general mobile lighting. Up to 6kW of onboard export power is available for jobsite power needs. Available in LED and metal halide configurations, choose the model that fits your needs and preferences.

LED

Why buy more or less light tower than you need? MLT6SMDS and MLT6SKDS LED models offer many of the same benefits as our popular MLT6SMD LED light tower, but with simplified features and controls, and your choice of Mitsubishi or Kubota engine.

The full-featured MLT6SMD comes standard with our Power Zone® digital controller for maximum programmability, including auto start and stop and dusk-to-dawn sensor, as well as a variable ECOSpeed engine for ultimate fuel efficiency. See back cover for a full comparison of specifications and available options.

Durable Generac LEDs

All MLT6 LED light towers feature our robust LED fixtures, designed to last the life of the tower, warranted for 5 years.

Bright, Consistent Lighting

Truer colors, important for hazard and warning labels and signage, as well as wiring applications. LEDs degrade very minimally over time, unlike metal halide bulbs which lose 50% of their light output within the first 10,000 hours.

Instant ON/OFF Light

No waiting, save time and enhance safety.

Fuel Efficient

LEDs consume less power, resulting in extended runtimes and significant fuel savings.

Optional Snap-on Diffuse Lens Kit

For glare-free lighting.





POWER ZONE® PLUS DIGITAL CONTROLLER

Automate your operation with our full-featured digital controller - Power Zone PLUS. With a 7 inch LCD screen, this controller offers easy-to-read engine status updates and ultimate programmability. Choose from dusk-to-dawn or program start and stop times, including a 7-day scheduler. Power Zone PLUS is optional on all MLT6 light towers.

METAL HALIDE

The MLT6 light tower is also available with metal halide lights. Choose between Mitsubishi, Kubota and Cat engines. An optional diffuse metal halide light kit allows for even, glare-free lighting.







DOWNLOAD OUR LIGHT TOWER FACT SHEET

Learn more about the benefits of LED.

MLT6 LED

Model	MLT6SMDS	MLT6SKDS	MLT6SMD
Engine Make	Mitsubishi®	Kubota®	Mitsubishi® ECOSpeed
Onboard Export Power: kW	6		
Max Mast Height	23 ft (7 m)		
Winch	Manual, Electric Option		
Lights	(4) 320W LED		
Total Lumens (Bare Bulb)	N/A		
Total Fixture Lumens (Actual Usable)**	188,000		
Coverage @ Min. 0.5 ft-c	25,068 ft² (2,328 m²)		
Diffuse Light	Optional Snap-on Diffuse Lens Kit		
Max Run Time (Lights Only)*	117 hrs	138 hrs	203 hrs
Standard Controller	Analog, Optional Power Zone PLUS		Power Zone PLUS
Dusk-To-Dawn Sensor	Optional with Power Zone		Standard
Individual On/Off Light Control	No		Yes
Oil Service Interval*	1000 hrs	750 hrs	1000 hrs
CSA Certified	Yes		

MLT6 METAL HALIDE

Model	MLT6SK	MLT6SM	MLT6SC
Engine Make	Kubota®	Mitsubishi®	Cat®
Onboard Export Power: kW	6		
Max Mast Height	23 ft (7 m)		
Winch	Manual, Electric Option		
Lights	(4) 1,100W MH		
Total Lumens (Bare Bulb)	528,000		
Total Fixture Lumens (Actual Usable)**	281,424		
Coverage @ Min. 0.5 ft-c	31,863 ft ² (2,960 m ²)		
Diffuse Light	Accessory Kit Available		
Max Run Time (Lights Only)*	95 hrs	93 hrs	89 hrs
Standard Controller	Analog, Optional Power Zone PLUS		
Dusk-To-Dawn Sensor	Optional with Power Zone PLUS controller		
Individual On/Off Light Control	Yes		
Oil Service Interval*	1000 hrs	1000 hrs	500 hrs
CSA Certified	Yes		



Generac Mobile Products, LLC. 215 Power Drive, Berlin WI 54923

GeneracMobileProducts.com

800-926-9768 | +1 920-361-4442

0202560 REV 12/19

©2019 Generac Power Systems. All rights reserved. Specifications are subject to change without notice.